







Characterization Substrate	Polygalacturonic acid	Cotton	Cotton Polygalacturonic acid	·		Polygalacturonic acid	Coud	Cotton	Cotton	Cotton	Cotton	Polygalacturonic acid	Polygalacturonic acid	Cotton	Polygalacturonic acid	Polyoalacturonic acid		Polygalacturonic acid		Polygalacturonic acid	Polygalacturonic acid			
Characterization Description	pga assay	Application Bioscouring	Application broscouring pga assay			pga assay Annlication Bioscouring	fillingson lossonals.	Application bioscouring	Application Bioscouring	Application Bioscouring	Application Bioscouring	pga assay	pga assay	Application Bioscouring	bga assay	Doa assav		pga assay	•	pga assay	pga assay	•		
Епzуте	Pectinase Pectate lyase	Pectate lyase	Pectate lyase	Pectate lyase Pectinase	Pectate lyase	Pectate ivase	Pectate lyase	Pectate lyase	Pectate lyase	Pectate lyase	Pectate lyase	Pectate lyase	Pectate lyase	Pectate lyase	Pectate lyase Pectate lyase	Pectate lyase	Pectate lyase	Pectate lyase	Pectate lyase	Pectate lyase	Pectate lyase	Pectate lyase	Pectinase	Pectinase
Characterization Activity pH	o s	on o) (3		σ	, თ	o	တ	.	o	c s (თ ;	= 0	.	ס	œ		os.		5	œ			
Characterization Activity Temp	room temp	6 4	room temp		noon famo	Ş	room temp	S	9	Q (0	room temp	dua moor	0				room temp		room temp	room temp			
Relative Substrate Specificity Value		4, t.				က		7.8	10.3	ლ. ი	7 .5		4	2				-						
Relative Substrate Specificity		Cotton				Cotton		Cotton	Cotton	Cotto	Como S		Cotton											
SEQ ID NO: in provisional	101,102 1, 2 103, 104	105, 106	107, 108	11, 12	113, 114	117, 118	119, 120	121, 122	121, 122	123, 124	125, 126	127, 128	129 130	12, 130	15, 16	17, 18	19, 20	21, 22	23, 24	25, 26	25, 26	27, 28	29, 30	3, 4

Cotton	Polygalacturonic acid	Polygalacturonic acid	Cotton	Polygalacturonic acid	Cotton	Polygalacturonic acid	Cotton		Polygalacturonic acid	Polygalacturonic acid				Cotton		Polygalacturonic acid	Polygalacturonic acid	Polygalacturonic acid	Cotton	Polygalacturonic acid			Cotton	Polygalacturonic acid	Polygafacturonic acid	Polygalacturonic acid	Cotton	Polygalacturonic acid		Cotton		Cotton	Polygalacturonic acid	Cotton
Application Bioscouring	pga assay	pga assay	Application Bioscouring	pga assay	Application Bioscouring	pga assay	Application Bioscouring	•	pga assay	pga assay				Application Bioscouring		pga assay	pga assay	pga assay	Application Bioscouring	pga assay			Application Bioscouring	pga assay	pga assay	pga assay	Application Bioscouring	pga assay		Application Bioscouring		Application Bioscouring	pga assay	Application Bioscouring
Pectate lyase	Pectate lyase	Pectate lyase	Pectate lyase	Pectate lyase	Pectate lyase	Pectate lyase	Pectate lyase	Pectate lyase	Pectate lyase	Pectate lyase	Pectate lyase	Pectate lyase	Pectate lyase	Pectate lyase	Pectate lyase	Pectate lyase	Pectate lyase	Pectate lyase	Pectate lyase	Pectate lyase	Pectate lyase	Pectate lyase	Pectate lyase	Pectate lyase	Pectate lyase	Pectate lyase	Pectate lyase	Pectate lyase	Pectinase	Pectate lyase	Pectinase	Pectate lyase	Pectate lyase	Pectate lyase
თ	80	o	œ	on	G)	o	69		o,	5				æ		ග	œ	G.	O)	10			σ	œ	o.	თ	o,	5		တ		တ	o	3
40	room temp	room temp	94	room temp	S	room temp	9		room temp	room temp				40		room temp		room temp	4	сот тетр			40	room temp	room temp	room temp	40	room temp		4		4	room temp	9
4.3			1.6		11.2		7							13.4					12.5				8.6 8.6				0.8 8.0			16.2		1.6		3.2
Cotton			Cotton		Cotton		Cotton							Cotton					Cotton				Cotton				Cotton			Cotton		Cotton		Cotton
31, 32	31, 32	33, 34	35, 36	35, 36	37, 38	39, 40	41, 42	43, 44	45, 46	47, 48	49, 50	5,6	51, 52	53, 54	55, 56	55, 56	57, 58	29, 60	61, 62	61, 62	63, 64	65, 66 [.]	67, 68	69, 70	7,8	71, 72	73, 74	73, 74	75, 76	77, 78	79, 80	81, 82	81, 82	83, 84

Cotton Polygalacturonic acid	Cotton	Polygalacturonic acid	Cotton Polygalacturonic acid	Cotton
Application Bioscouring pga assay	Application Bioscouring	pga assay	Application Bioscouring pga assay	Application Bioscouring Application Bioscouring
Pectate lyase Pectate lyase	Pectate lyase Pectinase	Pectate lyase Pectate lyase	Pectate lyase Pectate lyase Pectate lyase	Pectate lyase Pectate lyase
တတ	o s	5	ത ത	ത ത
40 room temp	9	room temp	40 room temp	50 40
0.1	Q) 4.		4.6	16 12.2
Cotton	Cotton		Cotton	Cotton
85, 86 85, 86	87, 88 89, 90	9, 10 91, 92 93, 94	95,96 95,96 97,98	99, 100 99, 100

Г			T-	T	Т	Т	Т		1		Т	Т	Т	7		·	_	Т	$\overline{}$	_	_		_	7-	_
			\$3127		×	×				×	/	,			×	×				×	×		×		
			S263K N275Y Y309W	3	×	×	×	×	×	×	×	,	;	×	×	×	>	,	×	×	×	×	×	×	,
			N275Y	,	Κ,	X	×	×	×	×	×	,			×		×	,	\	×		×		×	,
	ints					,		×	×		×		,	{	×	×	×	,	,	,	\		×	×	*
	muta		S255R				,	,		×	×						×					×			×
	g 2	Mutation	T219M T223E			,				×	×	×	×			×	×	×							×
	SSS	Mut		×	×											×						×			×
	ase (S208K	×	×	×	*	,		×	×	×	×	,	~	×	×	×	×	×	,	\ \	×	×	
,	Pectate lyase GSSM' ^m upmutants		A197G	×								×	×	>	<	×		×	×	×	,	\		×	×
'	Pect		T190L		×		×				×	×				×	×		×				×	×	×
			A182V			×	×		,	<		×					×	×			,	,			
			A118H	×	×	×	X	×	>	{	×	×	×	×	; ;	×	×	×	×	×	*	,	X	×	×
			Upmutant	∢	8	ပ	۵	Ш	Ŀ		و	r	-	7	3	۷.	4	Σ	Z	0	۵		3 6	Y	S

	Specific
Melting temperature	Activity (SA)

	Melting temperature					
Upmutant	(°C)	at 30°C	SA at 40°C		SA at 60°C	
AA	60.6	370.3	582.1	848.2	ND	ND
BB	58.3	366.8	542.4	648.6	ND	ND
CC	57	331.1	439.7	713.6	ND	ND
DD	58	468.6	595.8	714.6	ND	ND
EE	60	102.2	202.5	378.1	ND	ND
FF	58.5	585.5	744.5	955.8	ND	ND
GG	57.2	323.8	590.4	909.3	ND	ND
нн	58.7	267.6	425.5	706.3	ND	ND
П	57.8	357.1	527.3	875.1	ND	ND
JJ	57.5	372.2	537.6	834.9	ND	ND
KK	58.9	444.1	678.9	859.4	ND	ND
LL	58.4	375.2	557.6	1007.1	ND	ND
A	71	ND	ND	.311.1	483.3	777.7
В	70.4	ND	ND	317.0	432.4	628.0
С	72.5	ND	ND	377.6	468.6	849.1
D	73.25	ND	ND	323.8	352.2	926.4
E	71	ND	ND	340.4	557.6	641.7
F	71.75	ND	ND	389.3	550.8	438.3
G	73	ND	ND	297.4	545.9	790.4
н	72.25	ND	ND	356.1	480.3	980.2
I	70.4	ND	ND	363.9	701.4	666.2
J	72.8	ND	ND	241.6	622.2	694 .6
K	71.5.	ND	ND	298.4	701.4	700.4
L	73	ND	ND	245.5	947.0	1003.7
M	73	ND	ND	304.2	547.8	309.1
N	73	ND	ND	685.8	1010.5	1284.5
0	71.3	ND	ND	268.0	517.5	330.7
P	72	ND	ND	398.2	542.9	689.7
Q	70.8	ND	ND	354.1	382.5	526.3
R	71.9	ND	ND	361.0	408.9	722.0
S	70.9	ND	ND	753.3	1186.6	579.1
_						

/mex		_		_		92a	_					
1	_ 2_		4_	5	<u> </u>		. 8	9	10	11	12	
		l	į	i /	ļ	ļ	1		l	l	l	Kinetic
H 031	48 336	NoFE	10 691	BB0 25	NoFR	-21 00	35,455	78 31 7	20 312	FR 575	77 SNB	Time: 2:00
	- TX-900	1		-		1	1	<u></u>	i and La			Inconvec mil
_									<u> </u>		<u> </u>	Reads: 11
357.33	13.539	0.799	58 .177	NoFit	NoFR	-2.786	-2.240	9.882	4.255	301.55	NoFit	Lm1 235
							سسا		سيا		سسا	
2.787	28,455	20.911	341.11	45.818	5.218	NoER	75.481	71.450	134.58	NoFit	85.028	Automb: Once
	1										T	Calibrate: Once
0 963	24 270	77 070	40 300	26 204	12 810	77 000	98 704	DE 3700	22 400	20.10	20 5/1	Lag Time: 0:00
<u>0.021</u>	47.4/0	33.049	~u.JU8	(A) (A)	12.010	37.3900	00.704	91.430	33.400	<u>101,101</u>	-10.54B	End Times 200
			<u> </u>	 					<u> </u>		<u> </u>	CO Mit 0
6.669	3.173	11.325	NOFE	37.245	-16.36	5.922	NoFit	21,055	NoF3	4.384	NoFI	00 Mex 0.5
											l	Vmex Pts: 11/11
0.768	13 048	NoFE	NoFR	8.385	25,478	-7.968	4.155	715 BR	1 097	0.253	-4.364	
*****	3447	1791 8							T.AAZI	-	_	Plete Lest React
	4445				7	1		=				3.59 PM 12/22/2002
0.476	4.149	-0.354	5.544	31.309	7.836	7.145	57.089	7.538	18,154	-32,02	10.364	
									اسسسا			
9.684	51 <i>.5</i> 90	26.901	NoFit	1.165	3.019	48.200	0.000	9.823	99.536	398.76	9.818	
		mbinet)			-							•
	_	acrben		•								

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:
☐ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
\square REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
Потивр.

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.